



The FSB 1045 is based on the FSB 1015 model, which was conceived in the 1930s by a company called Wehag. Given the unceasing use of the FSB 1015 model in commercial buildings, we have supplemented it with a variant featuring a return-to-door that conforms to EN 179.




 EN 179 model:  
 Lever handle with return-to-door

Other variants:  
 – square roses  
 – oval/angular backplates

Plug-in handle for doors

15 1045




4

Window handle





Plug-in handle for windows

34 1015





Lever handles for narrow-stile doors

09 1045 (in-line, EN 179)  
06 1045 (cranked, EN 179)




Doorknob for narrow-stile doors

07 0809 (cranked)



## Glass door fitting

13 4223 with 72 1045




4

## Lever/knob sets

Doorknob for flush doors

Knob backplates

Aluminium  $\varnothing = 50$   
 Stainless steel  $\varnothing = 55$   
 Bronze  $\varnothing = 50$




Product codes for the lever/knob sets can be found on the following pages; for individual components, see page 328 ff.

# FSB 1045


## Lever/lever sets

Broad backplate sets available upon request; for flush-fitted roses, see page 536 f.




- 12 1045 013 (N)
- 72 1045 613 (R)
- 79 1045 613 (R)

- 72 1045 614 (L)
- 79 1045 614 (L)




- 15 1045 013 (N)




- 12 1045 001 (N)
- 72 1045 601 (R)
- 79 1045 601 (R)

- 72 1045 602 (L)
- 79 1045 602 (L)



- 12 1045 021 (N)
- 72 1045 621 (R)
- 79 1045 621 (R)


- 72 1045 622 (L)
- 79 1045 622 (L)




- 13 4223 041 (R) with 10 1045 00500 (N)
- 13 4223 042 (R) with 12 1045 013 (N)
- 13 4223 042 (R) with 72 1045 613 (R)

- 13 4223 051 (L) with 10 1045 00500 (N)
- 13 4223 052 (L) with 12 1045 013 (N)
- 13 4223 052 (L) with 12 1045 614 (L)

## Sets for narrow-stile doors



- 09 1045 211
- 09 1045 212
- 09 1045 223 (ILS)



- 06 1045 111
- 06 1045 112

- 06 1045 023 (ILS)



- 07 0809 228 (fixed; aluminium and stainless steel)
- 07 0809 228 (fixed; stainless steel)
- 07 0809 428 (fixed; aluminium)


For set in bronze with knob 07 0846, see page 481




- 17 1757

## Lever/knob sets


Broad backplate sets available upon request;  
for flush-fitted roses, see page 536 f.



- 12 1045 017 (N)
- 72 1045 617 (R)
- 79 1045 617 (R)
- 79 1045 619 (ILS)
- 72 1045 618 (L)
- 79 1045 618 (L)




- 12 1045 003 (N)
- 72 1045 603 (R)
- 79 1045 603 (R)
- 79 1045 605 (ILS)
- 72 1045 604 (L)
- 79 1045 604 (L)




- 12 1045 023 (N)
- 72 1045 623 (R)
- 79 1045 623 (R)
- 79 1045 625 (ILS)
- 72 1045 624 (L)
- 79 1045 624 (L)

## WC sets


Broad backplate sets available upon request;  
for flush-fitted roses, see page 536 f.




- 12 1045 019 (N)
- 72 1045 619 (R)
- 72 1045 620 (L)



- 15 1045 019 (N)



- 12 1045 005 (N)
- 72 1045 605 (R)
- 72 1045 606 (L)



- 12 1045 025 (N)
- 72 1045 625 (R)
- 72 1045 626 (L)

## Window handles



- 34 1015 09030 (rose 27 × 62 × 10)
- 34 1015 09039 (rose 32.5 × 70 × 10)
- 34 1015 09034 (rose 25.5 × 60.5 flush-fitted)
- 34 1015 170 (lock adaptor RC 1–6)
- 34 1015 076 (lock adaptor with push-button RC 1–6)
- 34 1015 711 (plug-in handle for timber/metal profiles, Ø 30)
- 34 1015 751 (plug-in handle for PVC profiles, Ø 30)

N = non-handed  
R = DIN RH, opening inwards  
L = DIN LH, opening inwards  
ILS = inactive-leaf set

Female handles  
Plug-in handle for doors  
FSB ASL®  
FSB AGL®  
FS heavy-duty fitting  
EN 179 heavy-duty fitting

For bearings, see page 52 ff.