


Pared-down design coupled with gleaming ergonomic credentials: the FSB 1246 by GRAFT incorporates style parameters of a wholly new kind. Its narrow radii and generously dimensioned transition curves create points of sculptural momentum and contrast that render the FSB 1246 handle as aesthetically exciting as it is long-lived. Its well-proportioned gripping volume is compellingly palpable, while its clean geometric lines make it ideal for any architectural context.




Design: GRAFT

EN 179 model: FSB 1247
 Lever handle with return-to-door

Other variants:
 – square roses
 – oval/angular backplates

Plug-in handle for doors

15 1246




4

Window handle

Plug-in handle for windows





34 1246



Custom-coordinated lifting/sliding door handle available upon request, see page 10



Lever handles for narrow-stile doors

09 1247 (in-line, EN 179)
06 1247 (cranked, EN 179)




Doorknob for narrow-stile doors

07 0846 (cranked)



Glass door fitting

13 4223 with 72 1246






4

Lever/knob sets

Doorknob for flush doors

Knob backplates


Aluminium X = 77 mm



Product codes for the lever/knob sets can be found on the following pages; for individual components, see page 328 ff.


Lever/lever sets

Broad backplate sets available upon request; for flush-fitted roses, see page 536 f.




- 12 1246 013 (N)
- 72 1246 613 (R)
- 76 1246 613 (R)
- 79 1247 613 (R)

- 72 1246 614 (L)
- 76 1246 614 (L)
- 79 1247 614 (L)




- 15 1246 013 (N)




- 12 1246 007 (N)
- 72 1246 607 (R)
- 76 1246 607 (R)
- 79 1247 607 (R)

- 72 1246 608 (L)
- 76 1246 608 (L)
- 79 1247 608 (L)



- 12 1246 027 (N)
- 72 1246 627 (R)
- 76 1246 627 (R)
- 79 1247 627 (R)

- 72 1246 628 (L)
- 76 1246 628 (L)
- 79 1247 628 (L)



- 13 4223 041 (R) with 10 1246 00500 (N)
- 13 4223 042 (R) with 12 1246 013 (N)
- 13 4223 042 (R) with 72 1246 613 (R)

- 13 4223 051 (L) with 10 1246 00500 (N)
- 13 4223 052 (L) with 12 1246 013 (N)
- 13 4223 052 (L) with 72 1246 614 (L)

Sets for narrow-stile doors



- 09 1247 211
- 09 1247 212
- 09 1247 223 (ILS)



- 06 1247 111
- 06 1247 112

- 06 1247 023 (ILS)




- 07 0846 228 (fixed)
- 07 0846 428 (fixed)




- 17 1757

Lever/knob sets


Broad backplate sets available upon request; for flush-fitted roses, see page 536 f.



- 12 1246 015 (N)
- 72 1246 615 (R)
- 76 1246 615 (R)
- 79 1247 615 (R)
- 79 1247 619 (ILS)
- 72 1246 616 (L)
- 76 1246 616 (L)
- 79 1247 616 (L)




- 12 1246 009 (N)
- 72 1246 609 (R)
- 76 1246 609 (R)
- 79 1247 609 (R)
- 79 1247 611 (ILS)
- 72 1246 610 (L)
- 76 1246 610 (L)
- 79 1247 610 (L)




- 12 1246 029 (N)
- 72 1246 629 (R)
- 76 1246 629 (R)
- 79 1247 629 (R)
- 79 1247 631 (ILS)
- 72 1246 630 (L)
- 76 1246 630 (L)
- 79 1247 630 (L)

WC sets


Broad backplate sets available upon request; for flush-fitted roses, see page 536 f.




- 12 1246 019 (N)
- 72 1246 619 (R)
- 72 1246 620 (L)



- 15 1246 019 (N)



- 12 1246 011 (N)
- 72 1246 611 (R)
- 72 1246 612 (L)



- 12 1246 031 (N)
- 72 1246 631 (R)
- 72 1246 632 (L)

Window handles

Custom-coordinated lifting/sliding door handle available upon request, see page 10



- 34 1246 09030 (rose 27 × 62 × 10)
- 34 1246 09039 (rose 32.5 × 70 × 10)
- 34 1246 09034 (rose 25.5 × 60.5 flush-fitted)
- 34 1246 170 (lock adaptor RC 1–6)
- 34 1246 076 (lock adaptor with push-button RC 1–6)
- 34 1246 711 (plug-in handle for timber/metal profiles, Ø 30)
- 34 1246 751 (plug-in handle for PVC profiles, Ø 30)

N = non-handed
R = DIN RH, opening inwards
L = DIN LH, opening inwards
ILS = inactive-leaf set

Female handles
Plug-in handle for doors
FSB ASL®
FSB AGL®
FS heavy-duty fitting
EN 179 heavy-duty fitting

For bearings, see page 52 ff.